

## Index

-A-	crew member 1-7
1 1 1 1 4 6 47 10 60	surfman 1-12
abandoning boat 6-47, 18-68	trainee 1-6
agreements 15-12	boat crew efficiency 3-1
aids to navigation See ATON	alcohol 3-19
aircraft 19-1	cold related factors 3-21
fixed-wing 19-35	drugs 3-19
helicopter 15-47, 19-3, 19-13, 19-27, 19-31, 19-	fatigue 3-9, 3-22
34	heat related injuries 3-29
alcohol 3-19	lethal fumes 3-15
anchoring 10-89, 10-101	motion sickness 3-13
general 10-102	noise 3-17
ground tackle 10-105	physical fitness standards 3-3
fittings 10-106	sun related injuries 3-29
techniques 10-108	boat crew responsibilities 1-1, 1-13
stowage 10-116	anchor watch 1-25
anchor watch <i>See</i> boat crew responsibilities antiexposure coverall 6-21	helm watch 1-22 lookout watch 1-14
area of responsibility See operating area	lookout, night watch 1-21
ATON 2-23, 13-1, 14-129	towing watch 1-23, 17-53, 19-32
major lights 13-20	boat crew signal kit 6-20, 6-29, 6-41
radionavigation systems 13-33	boat engineer See boat crew duties
short range 13-7	boat engineer see boat erew duties boat handling 10-1
short range electronic aids 13-31	anchoring See anchoring
U.S. Aids to Navigation System 13-3, 13-42	forces See forces
U.S. ATON system variations 13-25, 13-48,	maneuvering See maneuvering
14-129	boat outfit list 8-31
11 127	body, search for 15-20
-B-	Bridge-to-Bridge communications 11-22
	bridle 17-19, 17-22, 17-48
bandages See first aid	briefing/debriefing 4-27, 15-50, 17-38, 18-54
bank cushion (suction) 10-29, 10-94	broken bones See first aid
beacon 13-3, 13-7, 13-14, 13-18	buoy 13-3, 13-7, 13-14, 13-17, 14-18
Beaufort Wind Scale 12-4	buoyancy 9-9
bleeding See first aid	burns See first aid
boat characteristics 8-1	
construction 8-7	-C-
equipment 8-31	
measurements 8-25	call sign 11-20
mechanical problems 8-35	capsize 6-53, 9-13, 9-17
nomenclature 8-3	cardinal significance (ATON) 13-4, 13-6
terminology 8-3	catenary 17-15, 17-54
watertight integrity 8-27	cavitation 10-15, 10-20, 10-22
boat crew	center of gravity 9-8
Auxiliary 1-4	certification 1-4
size 1-3	chafing gear 7-20, 17-27, 17-49
boat crew duties 1-1, 1-5	Channel 13 11-7, 11-22
boat engineer 1-9	Channel 16 11-7, 11-24, 11-25, 15-22, 19-35
coxswain 1-10, 2-5, 3-10, 4-7 - 4-12	



charts 14-15, 14-128	downflooding 9-23
accuracy 14-35	DR See piloting
basic information 14-20	drift See piloting
compass rose 14-16	drogue 10-91, 17-16, 17-30, 17-54
projections	drop pump 18-73
gnomonic 14-14	drugs 3-19
mercator 14-12	dry suit 6-23
scale 14-24	DSC 11-29
soundings 14-1, 14-18, 14-24, 14-26, 14-35	duties See boat crew duties
symbols 14-26, 14-28, 14-29	_
checklist	-E-
Auxiliary pre-underway 1-33	
normal cruising 1-31	eductor 18-71
pre-underway 1-27	efficiency See boat crew efficiency
Coast Pilot 14-71	ELT 11-27, 15-13
cold related injuries 3-21, 5-51, 5-53	emergency locator transmitter See ELT
Commercial Assistance Policy 15-16	emergency position-indicating beacon See EPIRB
communications 11-1	EPIRB 11-27, 11-29, 15-13
frequencies See frequencies	equipment
radio operating procedures 11-17	boat 8-31
with aircraft 19-35	firefighting 18-29
compass See magnetic compass	helicopter 19-8, 19-11
coxswain See boat crew duties	piloting 14-62
crew fatigue 3-9, 3-22	survival 6-12
crew member See boat crew duties	towing 17-17
crew size 1-3	To
current 12-27	-F-
-D-	fake down 7-18
- <b>D</b> -	false alarm 15-15
dams 14-131, 14-136	fatigue See crew fatigue
danger bearing 14-105	fire
datum 15-28	classification 18-16
dead reckoning (DR) See piloting	extinguishing agents 18-17, 18-19
decks 8-22	prevention 18-7
deck fittings 7-66, 17-28, 17-48	theory 18-13
dehydration 3-31	firefighting 18-1
depth sounder 14-64	equipment 18-29
design speed (hull) 8-10, 17-12, 17-56	extinguishing fires 18-19, 18-57
deviation table <i>See</i> magnetic compass, deviation	overhaul 18-56
dewatering 18-69	procedures 18-49, 18-60, 18-63, 18-65
DGPS 13-36, 13-37, 14-131	under control 18-66
Differencial Global Positioning System See DGPS	first aid 5-1
digital selective calling See DSC	bandages 5-24
dipping the eye 7-73	bleeding 5-26
displacement 8-10, 8-28	burns 5-44
distance 1-18, 14-90	carbon monoxide poisoning 3-15, 5-62
	cold related injuries <i>See</i> cold related injuries
	cold related injuries bee cold related injuries
distress beacon 11-27, 15-13 distress signal light 6-12, 6-39	
distress signal light 6-12, 6-39	crew member responsibilities 5-4
distress signal light 6-12, 6-39 distress signals 11-23, 11-30	crew member responsibilities 5-4 eye injuries 5-64
distress signal light 6-12, 6-39 distress signals 11-23, 11-30 receipt of 11-25	crew member responsibilities 5-4 eye injuries 5-64 fish bites and stings 5-59
distress signal light 6-12, 6-39 distress signals 11-23, 11-30 receipt of 11-25 visual 6-41, 6-42, 11-30, 11-31	crew member responsibilities 5-4 eye injuries 5-64 fish bites and stings 5-59 fracture (broken bones) 5-35
distress signal light 6-12, 6-39 distress signals 11-23, 11-30 receipt of 11-25 visual 6-41, 6-42, 11-30, 11-31 voice 11-24	crew member responsibilities 5-4 eye injuries 5-64 fish bites and stings 5-59 fracture (broken bones) 5-35 handling 5-6
distress signal light 6-12, 6-39 distress signals 11-23, 11-30 receipt of 11-25 visual 6-41, 6-42, 11-30, 11-31	crew member responsibilities 5-4 eye injuries 5-64 fish bites and stings 5-59 fracture (broken bones) 5-35



hypothermia See hypothermia	helicopter See aircraft
near-drowning 5-58	helmet See headgear
poisoning by mouth 5-62	hoax 15-15
resuscitation 5-15	hoisting, helicopter 19-13, 19-15, 19-20, 19-23, 19-39
risk assessment 5-4, 5-26	hull type 8-8
scuba incident 5-20	hypothermia 3-23, 3-26, 5-53, 16-34, 16-36
shock 5-7, 5-12	hypothermia protective clothing 6-10, 6-17, 6-19
stroke 5-19	antiexposure coverall 3-24, 6-21
transporting 5-6	dry suit 6-23
fix See piloting	survival (exposure) suit 6-17
flare incident 15-14	wet suit 6-25
flood control (boat) 18-91	undergarments 3-26, 6-23
flood warnings 14-130, 14-137	,
forces (boat handling) 10-3	-I-
acting on a vessel 10-9	
environmental 10-4	icing 9-22
outboard motors and stern drives 10-17, 10-42	illumination signal kit 6-37
propeller 10-12	in step 17-15, 17-55
rudder 10-15	Intracoastal Waterway 13-26
shaft 10-12	manusustan waterway 15 25
waterjets 10-21, 10-42	-K-
frames 8-20	
free communication with the sea 9-21	keel 8-14
free surface 9-19	knife 6-41
frequencies (radio) 11-7	knots 7-33
2182 kHz 11-9, 11-24, 11-25	basic knots 7-36
2670 kHz 11-9, 11-25	breaking strength 7-35
Channel See Channel	breaking strength 1 55
HF 11-4, 11-5	-L-
MF 11-4, 11-5	L
VHF 11-4, 11-5	lateral significance (ATON) 13-4, 13-5, 13-14
frostbite 3-25	latitude 14-6, 14-7
fuel consumption See piloting	law enforcement 2-27, 2-29
Tuer consumption See photing	lead line 14-66
-G-	Light List 13-39, 14-69
-0-	lights (ATON) See ATON
General Salvage Policy 15-19	line 7-1
Global Maritime Distress and Safety System See	breaking strength 7-27, 7-35, 7-75
GMDSS Clobal Positioning System Con CDS	characteristics 7-3
Global Positioning System See GPS	natural fiber 7-8, 7-21
GMDSS 11-29 CDS 12-25-12-27	synthetic 7-10, 7-22
GPS 13-35, 13-37	handling 7-13, 7-67
ground tackle See anchoring	inspection 7-14
TT	knots See knots
-H-	maintenance 7-20
1 . 1 . 0.22	mousing See mousing
hatch 8-23	safe working load See safe working load
headgear 3-27, 6-27, 19-15	splices See splices
heat related injuries 3-29, 5-48	stowage 7-23
heaving-to See maneuvering	uncoiling 7-17
heavy weather A-1, Glossary-15	whipping 7-59
boat handling 10-73, A-9	line of position (LOP) See piloting
piloting A-17	list 9-11
risk management A-34	locks 14-131
waves A-3	longitude 14-9, 14-10
heeling 9-11	lookout watch See boat crew responsibilities



LOP See piloting	MK-127 See parachute illumination signal
Loran 13-34, 13-37, 14-126	MK-79 See illumination signal kit
lubber's line 14-39	mooring lines 10-61
	motion sickness 3-13
-M-	mousing 7-62
	hook 7-62
magnetic compass 14-37	shackle 7-63
adjustment 14-55	
compass error 14-43	-N-
applying 14-56	
components 14-38	nautical slide rule 14-75
deviation 14-45	navigation 14-1
direction 14-41, 14-85	Earth and its coordinates 14-3
variation 14-44	chart projections 14-12
maneuvering 10-2, 10-23, 10-51, 10-57	circles 14-4
alongside another vessel 10-67	lines 14-4
anchoring See anchoring	meridians (longitude) 14-9
basic 10-23	parallels (latitude) 14-6
backing 10-40	magnetic compass See magnetic compass
changing heading using asymmetric or	nautical charts See charts
opposed propulsion 10-44	piloting See piloting
controls, the 10-24	river sailing 14-127
moving forward in a straight line 10-26	noise 3-17
single-screw 10-48	Noise 3 17
stopping 10-38	-0-
turning 10-33	<b>O</b>
using asymmetric or opposed propulsion	oceanography 12-17
10-43	currents 12-27
near other objects 10-51	surf 12-26
keep station 10-52, A-15, A-45	waves 12-18
maneuvering 10-56	on-scene commander See OSC
rough weather 10-73	operating area, knowledge of 1-8, 1-11, 2-4, 10-75, A-
beam seas 10-84	40
cautions 10-74	operations normal report 11-20
head seas 10-77	OSC 15-7
heaving to 10-91	ODE 13 /
high winds 10-88	-P-
running before a sea 10-81	•
transiting entrances 10-85	PAN-PAN 11-24
rivers 10-93, 14-127	parachute illumination signal 6-44
to or from a dock 10-57	patrol commander 2-10, 2-21
man overboard 16-3, A-26	patrols 2-1
approach 16-8, 16-16	aids to navigation 2-23
recovery methods 16-3, 16-26	chart updating 2-25
while towing 16-22	disaster 2-27
MARB 15-16	marine parades 2-9, 2-21
marine assistance request broadcast See MARB	maritime pollution 2-29
marine parade 2-9, 2-21	port security 2-29
marlinespike seamanship 7-1	regatta 2-9
See knots	
See line	safety 2-3 pendant 17-19, 17-20, 17-48
See splices	person in the water See PIW
MAYDAY 11-24	personal flotation device See PFD
mechanical problems 8-35	personnel marker light See PML
MK-124 See smoke and illumination signal	personnel survival kit 6-41



PFD 6-3, 6-20, 6-21	responsibilities See boat crew responsibilities
storage and care 6-1 1	retroreflective material 6-13, 13-13
survival equipment 6-12	rhumb line 14-11
Standard Navy Preserver 6-15	righting boats 18-81
types 6-3	righting moment 9-13
phonetic alphabet 11-14	risk management 1-8, 4-1, 4-17, 4-28, 5-4, 5-26, 6-
physical fitness standards 3-3	53, 9-3, 10-76, 17-4, 17-38, 18-5, 18-50, A-34,
piloting 14-61, A-17	Glossary-15
dead reckoning (DR) 14-82, 14-129	rollover A-38
distance, speed, and time 14-72, 14-90	rudder 8-17
elements of 14-85	running fix 14-103
equipment 14-62	<u> </u>
fix 14-99, 14-103, 14-119	-S-
fuel consumption 14-76	
laying the course 14-80	safe working load 7-1
line of position (LOP) 14-97, 14-121, 14-128	line 7-27, 7-75
plotting bearings 14-85, 14-94	hooks 7-30, 7-80
radar 14-115	shackles 7-30, 7-79
set and drift (current sailing) 14-109, 14-110	SAR mission coordinator See SMC
terms 14-77, 14-138	SAR 2-3, 6-50, 15-1, 19-34
Western Rivers 14-127, 14-128	agreements 15-12
pitchpole A-39	coordination 15-6
PIW 16-1, 16-32, A-29, A-31	emergency phases 15-9
planing hull 8-11, 10-27, 17-12	incident information 15-21, 15-22, 15-25, 15-
PML 6-1	49
policy, general	initial response 15-45
Commercial Assistance 15-16	legal aspects 15-11
Firefighting Activities 18-4, 18-50	organization 15-3
General Salvage 15-19	planning 15-27
pollution 2-29, 2-30	scanning 1-19, 1-21
port security 2-29	search and rescue unit See SRU
position angle 1-18	search and rescue See SAR
pressure points (first aid) 5-28	search area coverage 15-48
propeller 8-18, 10-12	search area description 15-30
prowords 11-11	search patterns 15-35, 15-45
public relations 15-20	SECURITÉ 11-25
pyrotechnics 6-34, 6-37, 6-43	semi-displacement 8-13
1,	set See piloting
-Q-	shock See first aid
	shock-load 7-16, 17-14, 17-54
qualification 1-4	signal whistle 6-12, 6-33
	signaling mirror 6-31
-R-	skiff hook 17-28, 17-51
	SMC 15-6, 15-46
racon 13-32	smoke and illumination signal 6-34
radar 14-115	splices 7-33, 7-54, 7-81
radar beacon See racon	breaking strength 7-35
radiobeacon 13-31	spring in (out) 10-62, 10-64
radionavigation systems 13-33	SRU 15-7, 15-45, 15-51
raft 6-47, 6-50	stability 9-1, 9-7
ranges 13-22, 14-46, 14-98, 14-102	downflooding 9-17
regatta 2-9, 2-10	free communication with the sea 9-21
relative bearing 1-16, 14-87	free surface 9-19
rescue and assistance 18-1	icing 9-22
rescue devices 19-20	water on deck 9-24
rescue swimmer 16-31	Standard Navy Preserver 6-15



station keeping 10-52, A-15, A-45	safety 17-3
storm warnings 12-6	sinking tow 17-75
sun burn 3-30	speed 17-56, 17-68
surf 12-26	towing watch See boat crew responsibilities
characteristics A-7	towline 7-74, 17-18
operations 16-25, A-33	track spacing 15-47, 15-48
surface swimmer 6-20, 6-25, 16-29, A-31	trainee See boat crew duties
surfman See boat crew duties	trespassing 15-20
survival (exposure) suit 6-17	troubleshooting 8-35
survival equipment 6-1, 6-12	turning characteristics 10-35, 10-46
boat crew signal kit 6-29	,
headgear 6-27	<b>-U-</b>
hypothermia protective clothing 6-17	
personal flotation device (PFD) 6-3	Uniform State Waterway Marking System See
personnel survival kit 6-41	USWMS
pyrotechnics 6-43	USWMS 13-6, 13-26, 13-28 - 13-30, 13-48
raft 6-47	
survival knife See knife	-V-
survival procedures 6-49, 6-53, 16-33, 16-36	
•	visual distress signals See distress signals
-T-	visual signals 19-36, 19-37
team coordination 4-1, 4-3	-W-
briefing/debriefing 4-27	
standards 4-7	water survival skills 16-33, 16-36
tidal current 12-28, 14-70, 14-109, 14-110	watertight integrity See boat characteristics
tide 12-28, 14-70	waves 12-18, A-3
tourniquet 5-33, 5-34	weather 12-3
towing 1-23, 7-74, 17-1, 19-32	fog 12-11
equipment 19-17	forecasting 12-14
fixed-wing aircraft 19-37	ice 9-22, 12-13
forces 17-7	lightning 12-7
helicopter 19-31	thunderstorm 12-7
precautions 17-77	warnings 12-6
procedures 17-37	wind 12-4
alongside 17-70	Western Rivers 10-93, 13-26, 13-27, 13-48, 14-127
approach 17-41, 17-43, 17-70, 17-71	wet suit 6-25
astern 17-43	whipping See line
shortening the tow 17-67	whistle See signal whistle
<i>6</i>	